



SANITARY WARE













JIUCHUANG(Nine Creat)'s brands include HWELL\EMU\SUITAO EN1717 EN13077







We won the honorary title of Chaozhou's top ten smart toilet brands.

Providing value and service to customers is our goal and mission in the industry.























Hardware factory area: Nan'an Industrial ZoneQuanzhou, Fujian Province China

Email : INFO@9CREAT. com Site : https://9CREAT.com





OPEN UNIVERSAL

Common functions

Female washing Hip cleaning

Moving washing Self-cleaning nozzle

One click stop Nozzle adjustment Auto-flushing

Flushing during power outage

Mute close Night light

Energy saving

Water heated instantly

Seat induction Seat heating

Warm air drying

Drying air temperature adjustment

Water temperature adjustment Seat temperature adjustment

Water pressure adjustment

12V safety voltage

Double filtration

One button control

Easy-to-clean glaze Flame retardant material

Antibacterial seat

Remote control

LED screen

Massage washing

Baby/Child washing
























Colour: Size: Heating Type: S-trap: Protection:

Black/White 700x420x530mm Instant Heated 300/400 mm IPX4















Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Automatic switch cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Built-in aromatherap
Basic version									•	•
High version						•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip clea Moving Self-clea One clic Nozzle a LED scre	washing ning nozzle k stop ndjustment	Seat i Seat I Warn Dryin Wate Seat i	r heated instan nduction neating n air drying g air temperatur r temperature ac afety voltage	ure adjustme adjustment	Flushir Mute o Night li ent Leakag Energy		er outage	Double filtrat One button of Easy-to-clear Flame retard Antibacterial Remote cont Water pressu	control n glaze ant material seat

15





















Colour: Size: Heating Type: S-trap: Protection: White 680x400x470mm Instant Heated 300/400 mm IPX4


















Configuration

Built-in water tank available for option	Music function	Voice control	Built-in foam liquid container	Foam shield	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	256 colors of decorated light	Foot touch flushing	Built-in aromathera
Basic version										•	•
High version						•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cl Movii Self-c One c Nozzi LED s	le washi leaning ng washi leaning r click stop le adjustr icreen age was	ing Water heated inst Seat induction Seat heating nozzle Warm air drying p Drying air temper tment Water temperature Seat temperature			ure adjustmen adjustment	Mute c Night li t Leakag Energy Baby/0	ng during pow lose	ver outage (E F A F	Double filtration con Casy-to-clean Clame retardal Antibacterial se Remote contro Vater pressur	ontrol glaze nt material seat





















Colour: Size: Heating Type: S-trap: Protection:

White/Black 700x400x465mm Instant Heated 300/400 mm IPX4




















Configuration

Built-in water tank available for option	Baby/Child seat	Voice control	Foam shield	Control board	UV sterilization	Auto open/ close the cover	Foot touch open cover/seat	Foot touch flushing	Built-in aromatherapy	Manual open close the cove	
Basic version								•	•	•	
High version					•	•	•	•	•	•	
Top version	•	•	•	•	•	•	•	•	•	•	
Common functions	Hip clea Moving Self-clea One clic	washing Seat heating aning nozzle Warm air drying kk stop Drying air temperature adjustment adjustment Water temperature adjustment een Seat temperature adjustment				adjustment justment	Auto-flushing Flushing during po Mute close Night light Leakage protectio Energy saving Baby/Child washin	n	Double filtration One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustment		

21

























Colour: Size: Heating Type: S-trap: Protection:

White/Black/Silver 700x400x465mm Instant Heated 300/400 mm IPX4


















Dimension drawing (size:mm)




Configuration

Built-in water tank available for option	Baby/Child seat	Voice control	Foam shield	Control board	UV sterilization	Auto open/ close the cover	Foot touch open cover/seat	Foot touch flushing	Built-in aromatherapy	Manual open.
Basic version								•	•	•
High version					•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip clea Moving Self-clea One clic Nozzle a LED scre	washing aning noz k stop adjustme	zzle ent	Seat indu Seat hear Warm air Drying ai Water ter	ting drying r temperature mperature ad perature adju	adjustment justment	Auto-flushing Flushing during po Mute close Night light Leakage protectio Energy saving Baby/Child washin	n	Double filtra One button Easy-to-clea Flame retarc Antibacteria Remote con Water press	control n glaze lant material I seat

























K1
Intelligent toilet

Colour: Size: Heating Type: S-trap: Protection:

White/Gray/Khaki 700x400x465mm Instant Heated 300/400 mm IPX4
















Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Baby/Child seat	Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open close the cove
Basic version										•	•
High version							•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Female washing Water heated instantly Hip cleaning Seat induction Moving washing Seat heating Self-cleaning pozzle Warm air drying				e adjustm ljustment	Flushing Mute clo Night lig ent Leakage Energy s	Auto-flushing Flushing during power outage Mute close Night light Leakage protection Energy saving Baby/Child washing			ition control in glaze dant material il seat trol ure adjustmen	





























Colour: Size: Heating Type: S-trap: Protection: White 700x390x505mm Instant Heated 300/400 mm IPX4














Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Baby/Child seat	Voice control	Foam shield	Infrared therapy	UV sterilization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Built-in aromatherar	
Basic version									•	•	•	
High version						•	•	•	•	•	•	
Top version	•	•	•	•	•	•	•	•	•	•	•	
Common functions	Hip clea Moving Self-clea One clic Nozzle : LED scr	washing aning noz ck stop adjustme	zzle ent	Seat in Seat he Warm Drying Water Seat te	air drying	ure adjustment adjustment	Mute clos Night ligh Leakage Energy s Baby/Chi	during powe se nt protection		Double filtration One button control Easy-to-clean glaze Flame retardant material Antibacterial seat Remote control Water pressure adjustme		

31


























Black edge/White/Blue/Khaki/Black 700x400x465mm Instant Heated 300/400 mm IPX4 Colour: Size: Heating Type: S-trap: Protection:



Dimension drawing (size:mm)















Configuration

Built-in water tank available for option	Built-in foam liquid container	Baby/Child seat	Voice control		Infrared therapy		Control board	Automatic switch cover	Foot touch open cover	Foot touch open seat	Built-in aromatherapy	Manual oper close the cov
Basic version											•	•
High version								•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•	•
Common functions	Self-clea One click Nozzle a LED scre	ning washing ning nozzle k stop adjustment	Se Se W Dr W Se	eat indu eat heat arm air ying air ater ter	ing drying tempera nperature	antly uture adjustm e adjustment adjustment		Auto-flushing Flushing durin Mute close Night light Leakage prot Energy saving Baby/Child w. Dual knob	ng power ou ection	tage (Double filtration Dne button cor Easy-to-clean g Flame retardan Antibacterial se Remote control Water pressure 2V safety volta	ntrol laze t material eat adjustment



















Colour: Size: Heating Type: S-trap: Protection: White 700x400x465mm Instant Heated 300/400 mm IPX4
















Configuration

Built-in water tank available for option	Dual user memory	Touch screen	Built-in foam liquid container	Baby/ Child seat	Voice control	Foam shield	Infrared therapy	UV sterilization	Control board	Automatic switch cover	Foot touch open cover	Foot touch open seat	Built-in aromatherapy	Manual open
Basic version													•	•
High version										•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip Mov Self- One Noz LED	click st	g shing g nozzle op istment	Sea War Dry War Sea	ter tem	tion ng rying emper peratu erature	ature ad re adjust adjustm		Flus Mut Nigl Leal Ene	o-flushing shing during te close ht light kage protect rgy saving ty/Child wash	ion	ge Oi Ea Fla Ar Re	ouble filtration ne button con asy-to-clean gl ame retardant ntibacterial se emote control /ater pressure	aze material at






















Colour: Size: Heating Type: S-trap: Protection: White/Black 700x400x450mm Instant Heated 300/400 mm IPX4

















Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	256 colors of decorated light	Foot touch flushing	Single decorated li
Basic version									•	•
High version					•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cle Moving Self-cle One cli	g washing eaning noz ick stop adjustme reen	Se Sezzle W Dr ent W Se	, 5	erature adjustme ure adjustment e adjustment	Flushi Mute Night ent Leaka Energ Baby/	0.000	wer outage	Double filtra One button Easy-to-clea Flame retard Antibacteria Remote con Water press	control n glaze lant material l seat trol





















Colour: Size: Heating Type: S-trap: Protection: White 700x430x460mm Instant Heated 300/400 mm IPX4




















Configuration

Built-in water tank available for option	Built-in foam liquid container	Voice control	Foam shield	Infrared therapy	UV sterilization	Automa switch co		Foot touch open cover	Foot touch open seat	Built-in aromatherapy	Manual open close the cove
Basic version										•	•
High version						•		•	•	•	•
Top version	•	•	•	•	•	•		•	•	•	•
Common functions	Female was Hip cleaning Moving was Self-cleaning One click is Nozzle ad LED screen Massage is	ng ashing ng nozzle stop justment n	Sea Wa Dry Wa Sea	iter tempe	ng nperature adju rature adjustm ture adjustme	nent	Flu: Mu Nig Lea	to-flushing shing during po te close Int light akage protection ergy saving oy/Child washing	1	Double filtra One button of Easy-to-clean Flame retard Antibacteria Remote cont Water presso	control n glaze lant material l seat

















F5 Intelligent toilet

Product parameters

Colour: Size: Heating Type: S-trap: Protection: White/Black 685x400x460mm Instant Heated 300/400 mm IPX4

















Dimension drawing (size:mm)



Configuration

Built-in water tank available for option	Voice control	Foam shield	Infrared therapy	UV sterilization	Automatic switch cover	Foot touch open cover	Foot touch open seat	256 colors of decorated light		Single decorated lig
Basic version									•	•
High version					•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•
Common functions	Hip clea Moving Self-clea One clic Nozzle LED scr	washing aning nozzl ck stop adjustment	Seat Seat Warr Dryin Wate Seat	er heated insta induction heating m air drying ng air temperat er temperature temperature a in aromathera	ture adjustment adjustment djustment	Mute ck Night lig Leakage Energy s Baby/Ch	g during power ose ght e protection	er outage C E F A	Double filtration of casy-to-clean clame retarda antibacterial demote control Vater pressu	ontrol glaze ant material seat

















T6
Wall-hung intelligent toilet

Product parameters

Colour: Size: Heating Type: P-trap: Protection: White 580x400x420mm Instant Heated 180 mm IPX4














Dimension drawing (size:mm)



Configuration

Built-in ceramic water tank	Voice control	Music function	Foam shield	UV sterilization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limite
Basic version								•	•	•	•
High version				•	•	•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cl Movir Self-c One c Nozzl LED s	le washing eaning ng washin leaning no click stop le adjustm creen age washi	g ozzle ent	Seat inductions Seat heating Warm air to Drying air to Water tem	ng drying emperature adju perature adjustm erature adjustme	stment nent	Auto-flushing Flushing duri Mute close Night light Leakage pro Energy savin Baby/Child w	ing power out	utage One Easy Flam Antil Rem	r-to-clea ne retare pacteria note cor	control an glaze dant material al seat

51

















Colour: Size: Heating Type: S-trap: Protection: White 580x380x450mm Instant Heated 300/400 mm IPX4















Dimension drawing (size:mm)



Configuration

Built-in ceramic water tank	Voice control	Music function	Foam shield	UV sterilization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic version								•	•	•	•
High version				•	•	•	•	•	•	•	•
Top version	•	•	•	•	•	•	•	•	•	•	•
Common functions	Hip cl Movii Self-c One c Nozzi LED s	ele washing leaning ng washin leaning no click stop le adjustm creen age washi	g ozzle ent	Seat inductions Seat heating Warm air to Drying air to Water tem	ng drying emperature adju perature adjustm erature adjustme	istment nent	Auto-flushing Flushing duri Mute close Night light Leakage pro Energy savin Baby/Child w	ing power out	utage One Easy Flam Antil Rem	r-to-clea ne retare pacteria note cor	control an glaze dant material al seat













Intellige<mark>nt</mark> toilet

Product parameters


White/Black 580x400x420mm Instant Heated 180mm IPX4 Colour: Size: Heating Type: P-trap: Protection:










Dimension drawing (size:mm)









Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Common functions

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob

One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment

Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration

Mute slow down Anti bacterium seating Flame retardant material Anti-fouling glaze Energy saving Leakage protection 12V safety voltage













T₄P Intellig<mark>e</mark>nt toilet

Product parameters


White/Black 580x400x450mm Colour: Size: Heating Type: Instant Heated P-trap: Protection: 180mm IPX4








Dimension drawing (size:mm)







Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob

One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment

Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration

Mute slow down Anti bacterium seating Flame retardant material Anti-fouling glaze Energy saving Leakage protection 12V safety voltage












T5 Intellig<mark>e</mark>nt toilet


Product parameters

White/Black 720x370x840mm Instant Heated Colour: Size: Heating Type: S-trap: P-trap: Protection: 70–300mm 180mm IPX4



Dimension drawing (size:mm)







Version	UV sterlization	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light	No water pressure limited
Basic					•	•	•	•
High	•	•	•	•	•	•	•	•

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob

One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment

Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration

Mute slow down Anti bacterium seating Flame retardant material Anti-fouling glaze Energy saving Leakage protection 12V safety voltage

(T51)

60









32A/33A/35A
Intelligent toilet

Colour: White 680x420x520mm Instant Heated 300/400 mm Size: Heating Type: S-trap: P-trap: 180mm Protection:














One click knob

Foot touch flushing







Model	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Manual open/ close the cover	Night light
32A/33A/35A				•	•	•
32B/33B/35B	•	•	•	•	•	•
Same function	Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob		instantly screen	Seat temperature at Water pressure adju- Position adjustment Seat Induction Seat heating Flush during power Double filtration	Anti bac Flame re Anti-fou Energy s failure Leakage	terium seating tardant material ling glaze

Model 032	Manual open/close the cover Foot touch flushing Seat Induction Seat heating Leakage protection	Anti-fouling glaze Double filtration Flame retardant material Mute slow down Auto flushing	12V safety voltage Night light Flush during power failure
--------------	--	--	---





W4 Intelligent toilet

Product parameters

Colour: White Size: 680x400x470mm Instant Heated 300/400 mm Heating Type: S-trap: P-trap: 180mm Protection: IPX4











Foot touch flushing

Dimension drawing



Auto open/ close the cover Manual open/ Version Voice control Foam shield Basic High Тор

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop

Remote control
Water heated instantly
Digital display screen
Warm air drying
Wind temperature adjustment
Water temperature adjustment
Seat temperature adjustment
Water pressure adjustment

Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating Flame retardant material

Anti-fouling glaze Energy saving Leakage protection 12V safety voltage Night light Decorated light









Colour: Size: Heating Type: S-trap: P-trap: Protection:

White/Pink/Gold 680x400x530mm Instant Heated 300/400 mm 180mm IPX4



Dimension drawing (size:mm)




Color display screen



Dual user memory





	No water	Dual user	Foot touch	Night light	
Model	pressure limit	memory	flu <mark>shin</mark> g	Night light	
6800		•		•	
i68	•	•	•	•	
Same func	Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob	One key stop Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adjustment Water temperature adjustment	Seat temperature adjustment Water pressure adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration	Mute slow down Anti bacterium seating Flame retardant material Anti-fouling glaze Energy saving Leakage protection 12V safety voltage	







Product parameters

Size:

S-trap:

P-trap:

Colour: Gold/silver 680x420x560mm Heating Type: Instant Heated 300/400 mm 180mm Protection: IPX4






Auto open/ close the cover





Foot touch flushing





Version	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Dual user memory	Manual open/ close the cover
Q9	•	•	•	•	•	•
i9	•	•	•	•	•	•

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop

Remote control
Water heated instantly
Digital display screen
Warm air drying
Wind temperature adjustment
Water temperature adjustment
Seat temperature adjustment
Water pressure adjustment

Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating Flame retardant material

Anti-fouling glaze Energy saving Leakage protection 12V safety voltage Night light Built-in water tank (i9 only)

63 64



Q10 Intelligent toilet

Product parameters

Gold/silver 680x420x560mm Colour: Size: Heating Type: Instant Heated S-trap: 300/400 mm P-trap:







Version	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing	Dual user memory	Manual open/ close the cover
Basic				•	•	•
High	•	•	•	•	•	•

Protection:

Female washing
Hip Cleaning
Massage washing
Moving washing
Auto flushing
Self-cleaning nozzle
One key side knob
One key stop

Remote control
Water heated instantly
Digital display screen
Warm air drying
Wind temperature adjustment
Water temperature adjustment
Seat temperature adjustment
Water pressure adjustment

Position adjustment Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating Flame retardant materia

Anti-fouling glaze Energy saving Leakage protection 12V safety voltage Night light





Product parameters

Colour: White/Black/Gold/Silver/Blue

680x420x590mm Size: Instant Heated Heating Type: S-trap: 300/400mm P-trap: 180mm IPX4 Protection:





Version	Dual user memory	No water pressure limit	Auto open/ close the cover	Foot touch open cover	Foot touch open seat	Foot touch flushing
High	•	•	•	•	•	•
	Female washi	ng Remote	control	Position adjustment	Anti-fo	uling glaze

Same function

Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop

Remote control
Water heated instantly
Digital display screen
Warm air drying
Wind temperature adjustment
Water temperature adjustment
Seat temperature adjustment
Water pressure adjustment

Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating Flame retardant material

Energy saving
Leakage protection
12V safety voltage Night light
Built-in water tank (i11 only)



Q3/i3 Intelligent toilet

Product parameters

White/Black 680x420x560mm Colour: Size: Heating Type: Instant Heated S-trap: 300/400mm P-trap: 180mm Protection: IPX4





Version	Auto open/ close the cover	Foot touch open cover	Foot tout open se		
Basic				•	•
High	•	•	•	•	•
Same function	Female washing Hip Cleaning Massage washing Moving washing Auto flushing Self-cleaning nozzle One key side knob One key stop	Remote control Water heated instantly Digital display screen Warm air drying Wind temperature adju Water temperature adjust Water pressure adjustr	ustment M	Position adjustment Seat Induction Seat heating Flush during power failure Jouble filtration Vutte slow down Anti bacterium seating Flame retardant material	Anti-fouling glaze Energy saving Leakage protection 12V safety voltage Night light Built-in water tank (i3 only)



Smart Toilet Cover

Product parameters

Colour: White 495x435x115mm Size: Material: ABS Seat Cover Protection: IPX4





Female washing Hip Cleaning Massage washing Moving washing Self-cleaning nozzle One key side knob Side button

One key stop water heated instantly Warm air drying Wind temperature adjustment Water temperature adjustment Seat temperature adjustment Water pressure adjustment

Position adjustment Seat Induction Seat heating Flush during power failure Double filtration Mute slow down Anti bacterium seating

Flame retardant material Energy saving Leakage protection 12V safety voltage Night light Pilot lamp

One piece toilet

ORDINARY TOILET

普通马桶系列

Into the new world of cleaning and antibacterial
Quality toilet, fashion choice new experience
Simple appearance, outline the beauty of simplicity







8023 8027 300、400mm

686×390×740mm 300、400mm



8024

670×370×730mm 300、400mm



8075





8083

695×370×750mm 300、400mm

Dual vortex

680×390×785mm



8053

Dual vortex

670×370×750mm 200、300、400mm





Double hole super vortex UF cove

670×400×730mm 300、400mm



8091

Four vortex 700×380×745mm



8058

Dual vortex

680×365×720mm 300、400mm



8070

Dual vortex

710×380×775mm 300、400mm



8096

Four vortex


730×410×605mm 300、400mm





520×290×530mm 300mm


2046 Washdown Close-couched Closet Size:700x380x790mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





2020

Washdown Close-couched Closet Size:700x380x740mm S-trap,250、280mm Roughing-in P-trap,180mm Roughing-in





Relevant sets



2060

Washdown Close-couched Closet Size:650x370x785mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in







2022

Washdown Close-couched Closet Size:685x405x790mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in







Washdown One-piece Closet Size:680x370x780mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in








2066

Washdown Close-couched Closet Size:640x350x840mm P-trap,180mm Roughing-in





2073

Washdown Close-couched Closet Size:710x380x845mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in











309AWall-hung Basin
Size:525x440x385mm Wall-hung Installation








2065


Washdown Close-couched Closet Size:650x340x770mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in













F0019 Size:530x375x380mm Fixing to wall with back




F0051 Bidet Size:567x350x400mm Fixing to wall with back



0805


Washdown One-piece Closet Size:705x370x790mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in






0828A

Washdown One-piece Closet Size:750x390x775mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0854Siphonic One-piece Closet Size:710x385x775mm S-trap,300、400mm Roughing-in





0855


Siphonic One-piece Closet Size:720x380x775mm S-trap,300、400mm Roughing-in





0830A


Washdown One-piece Closet Size:680x370x840mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in





0832A


Washdown One-piece Closet Size:680x370x780mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0832B


Washdown One-piece Closet Size:690x365x825mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0830B


Washdown One-piece Closet Size:660x350x810mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0837A


Washdown One-piece Closet Size:690x370x750mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in






0852

Washdown One-piece Closet Size:700x365x765mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in






Washdown One-piece Closet Size:720x370x770mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in





1310A


Washdown One-piece Closet Size:685x380x790mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0866


Washdown One-piece Closet Size:660x360x765mm S-trap,250mm Roughing-in





0853


Washdown One-piece Closet Size:700x385x700mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in





0865A


Washdown One-piece Closet Size:660x360x850mm S-trap,250mm Roughing-in





0846A

Washdown One-piece Closet Size:670x370x830mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in




Relevant sets






2051A
Washdown Close-couched Closet
Size:690x355x835mm
P-trap,180mm Roughing-in





330A Wall-hung Basin Size:520x440x385mm Wall-hung Installation





F0051 Bidet Size:567x350x400mm Fixing to wall with back

Water Mark Toilet









F0051 Bidet Size:567x350x400mm Fixing to wall with back



2062
Washdown Close-couched Closet
Size:680x380x840mm
P-trap,180mm Roughing-in




2062B Washmark
Washdown Close-couched Closet
Size:590x380x420mm
P-trap,180mm Roughing-in





2062C Washdown Wall-hung Closet Size:550x360x360mm P-trap,180mm Roughing-in





2051A Washdown Close-couched Closet Size:690x355x835mm
P-trap,180mm Roughing-in





2051B Washmark
Washdown Close-couched Closet
Size:590x350x410mm
P-trap,180mm Roughing-in



2051C
Washdown Wall-hung Closet
Size:565x350x350mm
P-trap,180mm Roughing-in

Relevant sets





















0863G Washdown One-piece Closet Size:680x350x800mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in









0805G Washdown One-piece Closet Size:705x370x790mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in









98AG-1

Washdown One-piece Closet Size:720x370x770mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in








98AG-2

Washdown One-piece Closet Size:720x370x770mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in









Washdown One-piece Closet Size:750x390x775mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in









1310AG-1

Washdown One-piece Closet Size:685x380x790mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in









1307G

Washdown One-piece Closet Size:760x400x780mm S-trap,250mm Roughing-in









98AW-1

Washdown One-piece Closet Size:720x370x770mm S-trap,250, 300mm Roughing-in P-trap,180mm Roughing-in







98AW-2 Washdown One-piece Closet Size:720x370x770mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in



98AW-3 Washdown One-piece Closet Size:720x370x770mm S-trap,250, 300mm Roughing-in P-trap,180mm Roughing-in





2070W

Washdown Close-couched Closet Size::650x340x770mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in



1310AG-2

Washdown One-piece Closet Size:685x380x790mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in









P-trap,180mm Roughing-in











Size:520x340x360mm P-trap,180mm Roughing-in



2062C-1W Washdown Wall-hung Closet

Size:490x360x360mm P-trap,180mm Roughing-in





2062 Washdown Close-couched Closet Size:680x380x840mm P-trap,180mm Roughing-in



2062C Washdown Wall-hung Closet Size:550x360x360mm P-trap,180mm Roughing-in

21



2066 Washdown Close-couched Closet Size:650x370x850mm P-trap,180mm Roughing-in



2051C-1 Washdown Wall-hung Closet Size:520x340x360mm P-trap,180mm Roughing-in




0830A Washdown One-piece Closet Size:680x370x840mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in





0832B Washdown One-piece Closet Size:690x365x825mm S-trap,250、300mm Roughing-in P-trap,180mm Roughing-in





2057C-1 Washdown Wall-hung Closet Size:490x365x360mm P-trap,180mm Roughing-in



0830B Washdown One-piece Closet Size:660x350x810mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in






2064 Washdown Close-couched Closet Size:675x355x780mm S-trap,250mm Roughing-in P-trap,180mm Roughing-in



330A Wall-hung Basin Size:520x440x385mm Wall-hung Installation



TOILETSERIES Toilet Series



Model: SM-2022	Configuration:	Color: Color: Pearl White
One-piece toilet	Flushing method: jet siphon	Cover type: urea-formaldehyde cover
Dimensions: 690x460x660mm	Floor Drainage: Single Hole 300/400mm	Water fittings configuration: International standard water fittings

TOILETSERIES Toilet Series





Model:SM-2023	Configuration:	Color:
One-piece toilet	Flushing method: jet siphon	Cover type: urea-formaldehyde cover
Dimensions: 640x490x610mm	Floor drainage: single hole 305/400mm	Water fittings configuration: International standard water fittings

- 04 -









5000 countertop basin 460 × 390 × 190mm

5002 Countertop Basin 565×480×200mm

5100 Undercounter Basin 495×405×205mm

5102 Under Counter Basin 465×370×205mm







5103 Under counter basin

5104 Under Counter Basin 460 × 330 × 185mm

5105 Undercounter Basin 515×380×190mm

5106 Undercounter Basin 560 × 385 × 190mm



5210 Art Basin 460×460×155mm



5217 Art Basin 420×420×190mm



5220 Art Basin 480×375×130mm



5267 Art Basin 485×390×140mm



5200 Art Basin 415×415×135mm



480×370×130mm




5202 Art Basin 485×390×140mm



5203 Art Basin 500×390×130mm

Ceramic art modern technology





5050 mop basin 460×400×670mm









3207 Urinal 285×245×490mm

3208 Urinal 355×320×700mm









3210 Urinal 300×290×690mm

3212 Urinal 270×360×685mm

3213 Urinal 410×360×760mm





345×310×700mm



3218 Urinal 340×320×630mm



3025 Cross Toilet 590×460×200mm



3026 Cross Toilet 590×460×240mm



3027 Toilet Avoider 560×440×180mm



3028 squat toilet 560×440×230mm



3029 squat toilet



3030 squat toilet



535×435×180mm



535×435×235mm











355×118×370mm



3934 water tank 410×65×420mm



3935 water tank 375×120×365mm



3936 water tank 360×112×375mm



3937 water tank 350×110×360mm





Massage Rain Shower

licone water outlet Air boo

Soft, easy to clean, no clogging Just like being in the rain, saving 40% water

Silicone water outlet Air boost

Soft, easy to clean, non clogging Like being in the rain, saving 40% water

Air is injected to increase pressure and fully mix the water flow

The easy-to-clean silicone water outlet is shaped into plump water droplets, and the 200mm wide overhead spray provides a comfortable rain-shower coverage experience.


Inject air into the booster, fully mix the water flow, The easy to clean silicone water outlet nozzle forms plump water droplets, and the 200mm wide top spray provides a comfortable experience of rain coverage.

— PACE-02 —































Single handle faucet series Refined copper body High standard alloy handle Precision ceramic valve core ZC-5002 Single handle double hole basin faucet ZC-5003 Single handle dou basin faucet High standard alloy handle High standard alloy handle High standard alloy handle ZC-5004 Single handle bathtub ZC-5005 Single handle bath Packing quantity: High standard alloy handle High standard alloy handle High standard alloy handle

— PACE-41 —

ZC-5009 Single handle bathtub




面盆龙头系列/Faucet basin series 面盆龙头系列/Faucet basin series Refined copper body Refined copper body Refined copper body High standard alloy handle Precision ceramic valve core High standard alloy handle Precision ceramic valve core 水镀枪灰工艺 35mm mounting hole diameter 35mm mounting hole diameter 35mm mounting hole diamete 价格: Packing quantity: ZC-2001 ZC-2002 ZC-2003 ZC-2016 ZC-2017 ZC-2018 价格: Packing quantity: 价格: 装箱数: ZC-2002 价格: Single handle basin faucet 装箱数: Refined copper body Refined copper body 水镀枪灰工艺 35mm mounting hole diameter 水镀枪灰工艺 35mm mounting hole diameter 水镀枪灰工艺 35mm mounting hole diameter 水镀枪灰工艺 ZC-2020 Single handle basin faucet 装箱数: ZC-2021 单把面盆龙头 ZC-2004 ZC-2005 ZC-2006 004 foldle basin faucet 次格: 装箱数: High standard alloy handle High standard alloy handle 水镀枪灰工艺 35mm mounting hole diameter 35mm mounting hole diameter 35mm mounting hole diameter ZC-2008 Single handle basin faucet 介格: 装箱数: ZC-2022 High standard alloy handle High standard alloy hand High standard alloy handle High standard alloy handle 水镀枪灰工艺 35mm mounting hole diameter 水镀枪灰工艺 35mm mounting h diameter 水镀枪灰工艺 35mm mounting h diameter 水镀枪灰工艺 ZC-2025 价格: Single handle basin faucet 装箱数: ZC-2010 ZC-2011 ZC-2012 价格: Packing quantity: ZC-2026 价格: Packing quantity: 精铜主体 Refined copper body High standard alloy handle High standard alloy handle Precision ceramic valve core 水镀枪灰工艺 35mm mounting hole diameter 水镀枪灰工艺 高温烤漆工艺 水镀枪灰工艺 35mm mounting hole diameter 35mm mounting hole diameter ZC-2013 价格: Single handle basin faucet 装箱数: ZC-2015 价格: Single handle basin faucet 装箱数: ZC-2014 ZC-2028 ZC-2029 — PACE-25 — — PACE-26 —


面盆龙县系列/Faucet basin series Classic series Elegant design stems from the pursuit of simplicity and nature. The harmony of lines and Refined copper body surfaces, the refined design of edges, and the 高标合金把手 高标合金把手 High standard alloy handle reflective surfaces exude a sense of good taste. 35mm mounting hole diamete ZC-2032 Single handle basin faucet ZC-2033 Single handle basin faucet ZC-2031 价格: 装箱数: 价格: 装箱数: 高标合金把手 **CLASSICAL SERIES** ZC-2035 ZC-2034 Refined copper body High standard alloy han High standard alloy handle High standard alloy handle High standard alloy handl 35mm mounting hole diameter 35mm安装孔径 ZC-2037 价格: Single handle basin faucet 装箱数: ZC-2038 Single handle basin faucet ZC-2039 Single handle basin faucet ZC-2046 ZC-2047 ZC-2048 价格: 装箱数: High standard alloy handle High standard alloy handle Precision ceramic valve cor ZC-2040 Single handle bas ZC-2042 Single handle basin faucet ZC-2041 ZC-2049 ZC-2051 ZC-2050 Price: Packing quantity Packing quantity Packing quantity: Refined copper body High standard alloy handle Precision ceramic valve core 35mm mounting hole diameter 35mm mounting hole diameter ZC-2043 Single handle basin faucet ZC-2052 ZC-2053 ZC-2054 Price: Packing quantity: — PACE-27 — — PACE-28 —




























High standard alloy handle High standard electroplating process

ZC-5028 Single handle do basin faucet



High standard alloy handle Precision ceramic valve core
High standard electroplating

Refined copper body

ZC-5029 Single handle dou basin faucet



High standard alloy handle High standard electroplating process

ZC-5030 Single handle do basin faucet



Refined copper body

ZC-5031 Single handle double hole washing machine faucet

水镀枪灰工艺





Refined copper body

High standard alloy handle



Refined copper body High standard alloy handle

ZC-5034 Single handle shower

价格: Packing quantity



ZC-5035 Single handle sho

Refined copper body High standard alloy handle



LUXURY SIMPLICITY

A sentiment that tells the eternal theme of life.

乎奢华与简约的中间状态,与实用、舒适、

Intimacy and elegance are combined with precision.

A sentiment that embodies the eternal theme of life. Looking for a middle form that transcends luxury and simplicity State, connected with practicality, comfort, friendliness, and elegance and precision.


— PACE-44 —



High standard electroplating process

ZC-5037 Single handle double hole washing machine faucet






感应系列/Induction series 戚友系列/Induction series Refined copper body Refined copper body Refined copper body T Select high-quality materials Select high-quality material Select high-quality materials High quality control box High quality control box High quality control box Smart sensing Smart sensing Smart sensing ZC-7501 ZC-7502 ZC-7503 ZC-7516 ZC-7517 价格: 装箱数: ZC-7518 价格: Packing quantity: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: Refined copper body Refined copper body Refined copper body Select high-quality materials Select high-quality materials Select high-quality materials Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box High quality control box High quality control box High quality control box Smart sensing Smart sensing Smart sensing Smart sensing Smart sensing ZC-7504 ZC-7505 ZC-7506 ZC-7519 ZC-7520 ZC-7521 价格: 装箱数: 价格: 装箱数: 价格: Packing quantity: 价格: Packing quantity: 价格: 装箱数: 价格: Packing quantity: Select high-quality materials Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Smart sensing Adjustable sensing sensitivi 优质控制盒 Smart sensing Smart sensing Smart sensing ZC-7509 Sensor Panel ZC-7507 价格: 装箱数: ZC-7508 价格: 装箱数: ZC-7522 价格: 装箱数: ZC-7523 价格: Packing quantity: ZC-7524 价格: 装箱数: 价格: 装箱数: 高标电镀工艺 Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Smart sensing Smart sensing Smart sensing Smart sensing Smart sensing ZC-7511 Sensor faucet ZC-7510 价格: 装箱数: ZC-7512 ZC-7525 ZC-7526 ZC-7527 价格: 装箱数: 价格: Packing quantity: 价格: Packing quantity: 价格: Packing quantity: 价格: 装箱数: B Select high-quality material Select high-quality mat Select high-quality materials Select high-quality materia Select high-quality materia Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box High standard electroplating Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Distance adjustable sensitive high quality control box Smart sensing Smart sensing Smart sensing Smart sensing Smart sensing ZC-7513 ZC-7514 ZC-7515 ZC-7528 ZC-7529 ZC-7530 价格: 装箱数: 价格: 装箱数: — PACE-49 — — PACE-50 —

快开龙头系列/Quick Start Faucet Series 角岡系列/Angle Valve Series Refined copper body High standard ABS handwh Precision copper quick-opening ceramic valve cor installation thread G1/2 Precision copper quick-opening ceramic valve core installation thread G1/2 Precision copper quick-opening ceramic valve core installation thread G1/2 Precision copper quick-opening ceramic valve core installation thread G1/2 价格: 装箱数: ZC-8001 ZC-8002 ZC-8003 ZC-8501 ZC-8502 价格: Packing quantity: ZC-8503 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: Refined copper body High standard electroplated ABS handk High standard electroplating ABS High standard electroplating AB Precision copper quick-opening ceramic valve core installation thread G1/2 ZC-8004 ZC-8005 ZC-8006 ZC-8504 ZC-8505 ZC-8506 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: Refined copper body ZC-8008 Quick open faucet ZC-8009 Quick open faucet ZC-8007 介格: 装箱数: 价格: 装箱数: ZC-8507 价格: 装箱数: ZC-8508 ZC-8509 价格: 装箱数: High standard electroplating pro Stainless steel wire drawing pro High standard electroplating AB Stainless steel brushed handy Precision copper quick-opening ceramic valve cor installation thread G1/2 ZC-8510 ZC-8511 ZC-8010 ZC-8011 ZC-8012 ZC-8512 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: Refined copper body 水镀枪灰工艺 高温烤漆工艺 Black ABS handwheel Gun Grey ABS Handwheel 增压喷枪 ZC-8014 Multifunctional ZC-8013 ZC-8015 Multifunctional quick-opening faucet ZC-8515 Toilet Mate ZC-8513 ZC-8514 价格: 装箱数: 价格: 装箱数: 价格: 装箱数: — PACE-51 — — PACE-52 —













1624 Dual-purpose floordrain





1651 Single Use Floor Drain

1651 Gun Grey Single Use Floor Drain

Hardware access<mark>ories</mark> in the bathroo<mark>m space are</mark> an indispensable part of bathroom life. They not only have practical functions, but their decorative properties can <mark>als</mark>o add modern and technological concepts to the bathroom, thus becoming one of the hig<mark>hligh</mark>ts in the bathroom.

The hardware is the important part, which be matched the sanitary ware. It's not only the utilizable fittings, but also can decorate the space turning into more modern and endowing with the notion of technology, and thereby it becomes one of light in the bathroom.





1660 Single use floor drain





1663 Gun ash single use floor drain






1664 Jun ash single use



1665) Gun ash single use floor drain



1666) Gun gray washing machine floor drain





1918 sink 780×430×220mm



1921 sink 780×430×230mm



1924 sink 800×450×225mm



1929 sink 680×460×210mm



1930 sink 680×460×210mm



1931 sink 680×450×210mm











Model: R325

Elegant and grand, a dual sensory experience for both sight and touc

Elegant atmosphere, double enjoyment of visual and tactile senses,





Model: G63

Enjoy all as you please

Exceptional quality, enjoy at will.



It is natural and not pretentious, eye-catching, enjoy the art of fashion, static and smooth, the beauty of the contours of the extreme




BATHROOM CABINET / SLATE / COUNTERTOP MANUFACTURER



JIUCHUANG SLATE SERIES



SLATE SERIES







DW-60-80-100-120

DW-120S-140S-160S






SW-60-80-100-120

SW-120S-140S-160S





▼DW-60-80-100-120


▲DW-120S-140S-160S










- **■**GP1-120S-140S-160S
- ▼GP1-60-80-100-120





- **■GP-60-80-100-120**
- ▼GP-120S-140S-160S










■RW-60-80-100-120
▼RW-120S-140S-160S



■AC-120S-140S-160S
▼AC-60-80-100-120







▲ GPGX-120-140-160



▲TC-60-80-100



■GS-80-100-120

▼JZ-80-100-120









▲GZ-60-80-100-120

■GZ1-100-120-140-160



▲ZW-45-45-83



▲ZW-42-42-80G



▲ZW-42-42-80




▲ZW-42-42-80GS

▲ZR2-42-48-80














▲ZR1-42-48-80





1096-60 Armani Gray

Thickened aluminum

Main Cabinet: 610x400x400mm

Mirror Cabinet: 550x115x650mm



1096-70 Armani Gray

Thickened aluminum

Main cabinet: 710x475x520mm

Mirror cabinet: 700x115x650mm



1096-80 Armani Gray

Thickened aluminum

Main cabinet:810x475x520mm

Mirror cabinet: 700x115x650mm



1096-90 Armani Gray

Thickened aluminum

Main cabinet: 910x475x500mm

Mirror cabinet: 900x110x680mm



1096-100 Armani Gray

Thickened aluminum

Main cabinet: 1010x475x500mm

Mirror cabinet: 900x130x680mm



1092-60 High Gloss White

Main Cabinet: 610x400x400mm

Mirror Cabinet: 550x115x650mm



1092-70 High Gloss White

Main cabinet: 710x475x520mm

Mirror cabinet: 700x115x650mm



1092-80 High Gloss White

Main cabinet:810x475x520mm

Mirror cabinet: 700x115x650mm



1094-60 light gray

18cm aluminum honeycomb

Main Cabinet: 610x400x400mm

Mirror Cabinet: 550x115x650mm



1094-70 light gray

18cm aluminum honeycomb

Main cabinet: 710x475x520mm

Mirror cabinet: 700x115x650mm



1094-80 light gray

18cm aluminum honeycomb

Main cabinet: 810x475x520mm

Mirror cabinet: 700x115x650mm



1092-90 High Gloss White

Main cabinet: 910x475x520mm

Mirror cabinet: 850x115x650mm



1092-100 High Gloss White

Main cabinet: 1010x475x520mm

Mirror cabinet: 850x115x650mm



1094-90 light gray

18cm aluminum honeycomb

Main cabinet: 910x475x520mm

Mirror cabinet: 850x120x650mm



1094-100 light gray

18cm aluminum honeycomb

Main cabinet: 1010x475x520mm

Mirror cabinet: 850x120x650mm



1092-60 High Gloss White

Main Cabinet: 610x400x400mm

Mirror Cabinet: 550x115x650mm



1092-70 High Gloss White

Main cabinet: 710x475x520mm

Mirror cabinet: 700x115x650mm



1092-80 High Gloss White

Main cabinet:810x475x520mm

Mirror cabinet: 700x115x650mm



1092-60 Advanced Gray

Main Cabinet: 610x400x400mm

Mirror Cabinet: 550x115x650mm



1092-70 Advanced Gray

Main cabinet: 71<mark>0x4</mark>75x520mm

Mirror cabinet: 700x115x650mm



1092-80 Advanced Gray

Main cabinet: 810x475x520mm

Mirror cabinet: 700x115x650mm



1092-90 High Gloss White

Main cabinet: 910x475x520mm

Mirror cabinet: 850x115x650mm



1092-100 High Gloss White

Main cabinet: 1010x475x520mm

Mirror cabinet: 850x115x650mm



1092-90 Advanced Gray

Main cabinet: 910x475x520mm

Mirror cabinet: 850x115x650mm



1092-100 Advanced Gray

Main cabinet: 1010x475x520mm

Mirror cabinet: 850x115x650mm









S8688 Three DoubbeAction Screens
Hardware material: 304 stainless steel
Hardware Material: Rose Gold
Glass thickness: 8mm/10mm



D570 (Flued Parels and One Mevable Parels and One Mevable Parels and One Mevable Hardware material: 304 stainless steel

Hardware Material: Titanium Gold

Glass thickness: 8mm/10mm



YS-08 double active screen

Hardware material: 304 stainless s Hardware material: Elegant black Glass thickness: 8mm/10mm



YS-01 double active scree

Hardware material: 304 stainless steel
Hardware material: Elegant black
Glass thickness: 8mm/10mm



YD62-31 Diamond type two fixed and on movable

Hardware material: 304 stainle:
Hardware material: Elegant black
Glass thickness: 8mm



R8102 Fan-shaped two fixed two moving

Hardware material: 304 stainless steel Hardware material: mirror finish Glass thickness: 8mm



S8101 Double active screen

Hardware material: 304 stainless ste Hardware material: mirror finish Glass thickness: 8mm



S321^{0-Fixed}

Hardware material: mirror finish





1822 贵妃缸 1300×750×600mm 1400×750×600mm 1500×750×600mm 1550×800×600mm 1600×750×600mm

1600×800×600mm 1650×800×600mm 1700×800×600mm 1800×820×600mm



1823 贵妃缸 1500×800×600mm 1600×750×600mm 1700×750×600mm



1824 贵妃缸 1400×750×750mm 1500×750×750mm 1600×750×750mm 2200×1000×800mm



1825 贵妃缸 1500×750×600mm 1900×900×650mm



1826 贵妃缸 1700×800×650mm



1827 贵妃缸 1400×820×650mm 1500×820×650mm 1600×820×650mm

1700×8<mark>20</mark>×650mm 1800×820×650mm



1832 浴缸 1500×750×500mm 1700×750×500mm



1833 浴缸 1500×730×500mm 1700×730×500mm



